

#### It's not just a convention center. It's a relationship building.



## **FACTS & FLOOR PLANS**

## MINNEAPOLIS FACTS & INFORMATION

#### METRO AREA POPULATION 3.7 million (2020)

#### MINNEAPOLIS POPULATION

429,954 (2020)

#### **GEOGRAPHY**

58.70 sq. mi. / 152.03 sq. km.

#### LOCATION

Minneapolis is about a 2.5-hour flight from most major U.S. cities. More than 28 million people can reach the Minneapolis area within an eight-hour drive.

#### WEATHER

Average daily high temperatures:

- January, 22° F / -6° C
- April, 56° F / 13° C
- July, 83° F / 28° C
- October, 58° F / 14° C

Average rainfall: 26 in. / 66 cm. Average snowfall: 46 in. / 117 cm.

## TRAVELING BY AIR

Less than a three-hour flight from most U.S. cities and just minutes from downtown with access via the METRO Blue Line, the Minneapolis-St. Paul International Airport (MSP) is served by 17 commercial passenger airlines at two terminals. A hub of Delta Air Lines, MSP connects



Minneapolis to nearly 800 cities in 120 countries. In addition, major freeways in all directions, plus ample bus and train service, make getting around a snap!

## **GROUND TRANSPORTATION**

Minneapolis' compact downtown area makes it easy to get around. If you choose to drive, there are thousands of parking spaces and hundreds of parking meters. Visitors can catch a ride from any hotel or hop on our public transportation system. If you'd rather stay inside while walking, our 9.5-mile, climate-controlled skyway system is perfect.

Free bus rides are available on Nicollet in downtown Minneapolis, including to and from the Minneapolis Convention Center. The free-ride buses run every 10 minutes on weekdays and every 15 to 30 minutes on weekends. More information is available at MetroTransit.org/freeride.





#### Select the tour icon to view the space virtually. To view this packet digitally head to plannertools.minneapolisconventioncenter.com

# MINNEAPOLIS CONVENTION CENTER

Combining all the amenities you need with exceptional service from a highly skilled staff, the Minneapolis Convention Center (MCC) serves up made-to-order events.

A blend of form and function, the MCC provides aesthetically pleasing and innovative solutions for a variety of conventions and meetings. It boasts a unique auditorium, superb production capabilities and flexible technology options.

Extra features like The UPS Store, the Visitor Information Center, Craft Bar and Lounge, and Dunn Brothers Coffee can ease pressure for planners and attendees once on site. The UPS Store fulfills all types of document creation and duplication needs. The Visitor Information Center provides assistance to attendees with information about the city, public transportation, hotels, restaurants, attractions and more. The Craft Bar and Lounge is a great location for attendees to socialize and enjoy a local craft beer with lunch.

The convenient location that is close to freeways and 20 minutes from the MSP International Airport makes the MCC easy to use. Connected by a climate-controlled skyway system to 4,000+ of the 9,000 downtown hotel rooms - plus dining and attractions - everything is within walking distance from the Minneapolis Convention Center.

### general INFORMATION

A 900-space underground parking ramp is connected to the Convention Center by the skyway system. An additional 8,000 parking spaces of parking ramps and metered curbside parking are located within four blocks.

For disabled guests, ramp curb cuts and power-operated doors are standard building features, along with accessible restrooms and public elevators.

The MCC Command Center is staffed 24/7 to respond to emergency and non-emergency guest needs, monitor weather alerts and utilize various life-safety systems to secure the entire Convention Center campus. The MCC Command Center is located on Level 1 and collaborates directly with our Security Patrol Officers to support and maintain a safe guest experience.

A state-of-the-art public-address system allows the MCC Command Center to communicate emergency announcements 24 hours a day.






## FOOD & BEVERAGE

Kelber Catering has been providing high-quality cuisine and service as the exclusive in-house caterer of the Minneapolis Convention Center since its inception. Locally owned and operated, Kelber Catering features custom-designed menu creations in addition to an extensive standard menu selection for your special function. Menus are available at kelber.com.

Operating out of a 16,000 square-foot kitchen and bakery facility, Kelber's award-winning executive chef, pastry chef and professional culinary staff are able to accommodate groups of 10 to 10,000+.

Kelber also oversees seven permanent retail food outlets, a variety of portable cafeterias and gourmet coffee kiosks within the MCC. In addition, Dunn Brothers Coffee, located in the main lobby on Level One, offers fresh baked goods and sandwiches, and Craft Bar & Lounge, located above the Visitor Information Center, serves cold beverages, flatbread pizzas, salads and more.






## AUDITORIUM 99

The Minneapolis Convention Center features a world-class, 3,433-fixed-seat auditorium capable of handling a variety of functions from business meetings to large production events. This space is equipped with superior technology, including cutting-edge lighting and sound systems – allowing any event to creatively enhance their attendee experience.


This space is designed with three circular lecture rooms, Auditorium Rooms 1, 2, 3 – each seating 430 people – that are positioned on turntables that rotate 180 degrees. This unique capability allows any event to change their general sessions from one large room to four private, soundproof rooms in less than 30 minutes.

Seating in each of the Auditorium Rooms are equipped with fold-up tablet arms, wired for power. These rooms also include state-of-the-art A/V equipment, including front and rear screens with wiring for digitized video as well as the latest technology for satellite links, fiber-optics, and easy internet access.



Total Maximum Capacity 3,433 seats (Less ADA seating) 3,385 seats

\*Two seats not fixed, located in projection opening



## ALL LEVELS

#### **EXHIBIT HALL INFORMATION**

#### 

- ▶ LED down lights
- ▶ LED RGB-color uplighting in domes
- Zoned on/off controls permit tailored lighting patterns
- Four spotlight platforms are available on the mid-level catwalk

#### ELEVATED SEATING

 Portable, telescopic risers feature elevated seating for up to 2,000

#### FREIGHT ACCESS

- 15' wide covered loading bays (36), plus eight drive-in doors
- Truck marshaling area directly behind the Convention Center features 88,000 sq. ft. of fenced and lighted space

#### UTILITIES

- Flush mounted floor boxes on 30' centers provide electrical, internet, and fiber connections
- Cold water and drains are available in each hall at select locations on 90' centers
- Natural gas is available at select points
- Electrical service features 120 volt, 208 volt, and 480 volt single- and threephase electrical service of amperage ranging from 10 to 400 amps
- Compressed air available from catwalk at various locations


#### **MEETING ROOM INFORMATION**

#### FEATURES

- Audio panels provide microphone input access, volume control, and local record outputs
- Background music available
- Fully baffled walls ensure minimal sound penetrations
- 87 column-free rooms handle up to 100 lbs. per sq. ft.

#### LIGHTING

 Dimmable LED lighting up to 40 footcandles with eight preset lighting configurations



## **BALLROOM INFORMATION \$**

#### STAGE

- ▶ 52'w. x 27'd. x 4' with 40' x 16' proscenium opening
- ▶ Theatrical trusses and 1,000 lb. rigging points
- ▶ Backstage is fully accessible for disabled visitors
- ▶ Two dressing rooms feature lighted dressing vanities

#### **FREIGHT ACCESS**


- ▶ 7'-10" x 7'-8" for easy loading
- ▶ No dock above grade

#### UTILITIES


- ▶ 120/208 volt, 60 amp service accessible via three floor boxes
- ▶ 120/208 volt, three-phase power available on stage

#### 

▶ LED downlighting



## <del>م</del> **DEVEL TWO**




| LEVEL TWO MEETING ROOMS 🖘              |                |                                 |                   |                     |                       |                    |           |                   |  |  |
|--|----------------|---------------------------------|-------------------|---------------------|-----------------------|--------------------|-----------|-------------------|--|--|
| Room                                   | Sq. Ft.        | Dimensions                      | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception | 10'x10'<br>Booths |  |  |
| 200 A-J                                | 12,432         | 84' x 148'                      | 14'               | 1,258               | 896                   | 840                | 1,367     | 62                |  |  |
| (each section)                         | 1,218          | 42' x 29'                       | 14'               | 138                 | 80                    | 60                 | 135       |                   |  |  |
| 201 A-B                                | 1,248          | 39' x 32'                       | 14'               | 121                 | 80                    | 60                 | 140       |                   |  |  |
| (each section)                         | 608            | 19' x 32'                       | 14'               | 55                  | 40                    | 30                 | 69        |                   |  |  |
| 202 A-B                                | 1,248          | 39' x 32'                       | 14'               | 121                 | 80                    | 60                 | 140       |                   |  |  |
| (each section)                         | 608            | 19' x 32'                       | 14'               | 55                  | 40                    | 30                 | 69        |                   |  |  |
| 203 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       |                   |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 48                  | 32                    | 20                 | 58        |                   |  |  |
| 204 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       |                   |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 48                  | 32                    | 20                 | 58        |                   |  |  |
| 205 A-D                                | 4,386          | 51' x 86'                       | 16'               | 528                 | 320                   | 280                | 480       |                   |  |  |
| (each section)                         | 1,075          | 25' x 43'                       | 16'               | 118                 | 56                    | 60                 | 119       |                   |  |  |
| 206 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       |                   |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 46                  | 32                    | 20                 | 58        |                   |  |  |
| 207 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       | -                 |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 46                  | 32                    | 20                 | 58        |                   |  |  |
| 208 A-D                                | 4,386          | 51' x 86'                       | 16'               | 528                 | 320                   | 280                | 490       |                   |  |  |
| (each section)                         | 1,075          | 25' x 43'                       | 16'               | 118                 | 56                    | 60                 | 119       |                   |  |  |
| 209 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       | -                 |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 48                  | 32                    | 20                 | 58        |                   |  |  |
| 210 A-B                                | 1,050          | 25' x 42'                       | 16'               | 118                 | 64                    | 60                 | 116       |                   |  |  |
| (each section)                         | 525            | 25' x 21'                       | 16'               | 48                  | 32                    | 20                 | 58        |                   |  |  |
| 211 A-D                                | 4,386          | 51' x 86'                       | 16'               | 528                 | 320                   | 280                | 489       | -                 |  |  |
| (each section)                         | 1,075          | 25' x 43'                       | 16'               | 118                 | 56                    | 60                 | 119       |                   |  |  |
| 212 A-B                                | 1,248          | 39' x 32'                       | 14'               | 121                 | 80                    | 60                 | 139       |                   |  |  |
| (each section)                         | 608            | 19' x 13'                       | 14'               | 54                  | 40                    | 30                 | 67        |                   |  |  |
| 213 A-B                                | 1,248          | 39' x 32'                       | 14'               | 121                 | 80                    | 60                 | 139       | -                 |  |  |
| (each section)                         | 608            | 19' x 13'                       | 14'               | 54                  | 40                    | 30                 | 67        |                   |  |  |
| Seasons<br>(with bridge) Ϛ             | 2,463<br>5,883 | 56' dia.<br>56' dia., 38' x 90' | 20'<br>18'        | 110<br>480          | 120<br>296            | 180<br>450         | 500       | -                 |  |  |
| Lounge A & B<br>Alice Rainville Room Ϛ | 1,075          | 37' dia.                        | 23'               | 92                  | 56                    | 70                 | 100       | -                 |  |  |
| Show Office B ᇬ                        | 499            | 16' 8" x 19' 11"                | 9'                | -                   | -                     | -                  | -         | -                 |  |  |
| Show Office CD ᇬ                       | 728            | 59' x 12' 4"                    | 8' 10"            | -                   | -                     | -                  | -         | -                 |  |  |
| Show Office DE  Ϛ                      | 694            | 56' 8" x 12' 3"                 | 8' 10"            | -                   | _                     | -                  | -         | -                 |  |  |

## **REGISTRATION/PRE-FUNCTION SPACES**

| Level Two Atrium Lobby (near 200A-J) | 12,580 sq. ft.       |
|--------------------------------------|----------------------|
| Level Two Escalator Lobbies 😱        | 6,600 sq. ft. (each) |

## **LEVEL ONE** egitting



#### LEGEND

- Restrooms
  - Escalators (Levels 1 & 2)
  - Escalators (All Levels)
  - 🚻 Elevators (Levels 1 & 2)
  - 🗰 Elevators (All Levels)
  - 📶 Stairs (Levels 1 & 2)
  - Emergency Stairs
  - Automated External Defibrillator
  - 💐 Business Center
  - Coffee Shop / Cafe
  - Vistor Information Center
  - Refreshments
  - Emergency Exit

- S ATM
- Wi-Fi Available in Public Lobbies
- Parking
- 🕑 🛛 First Aid
- Nicollet Mall FREE Shuttle Bus Stop

| LEVEL | ON | E E | XHIB | RIT H | ALLS | Ģ |
|-------|----|-----|------|-------|------|---|
| _     |    |     |      |       |      |   |

| Room      | Sq. Ft. | Dimensions   | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception | 10'x10'<br>Booths |
|-----------|---------|--------------|-------------------|---------------------|-----------------------|--------------------|-----------|-------------------|
| Halls B-E | 376,200 | 300' x 1254' | 30-85'            | 28,000              | 19,000                | 23,270             | -         | 2,090             |
| Hall B    | 99,000  | 300' x 330'  | 30-85'            | 7,500               | 5,000                 | 6,000              | -         | 554               |
| Hall C    | 99,000  | 300' x 330'  | 30-85'            | 7,500               | 5,000                 | 6,000              | -         | 554               |
| Hall D    | 79,200  | 240' x 330'  | 30-85'            | 5,500               | 4,000                 | 5,270              | -         | 440               |
| Hall E    | 99,000  | 300' x 330'  | 30-85'            | 7,500               | 5,000                 | 6,000              | -         | 554               |

## BALLROOM A & B 🖘

| Room         | Sq. Ft. | Dimensions  | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception | 10'x10'<br>Booths |
|--------------|---------|-------------|-------------------|---------------------|-----------------------|--------------------|-----------|-------------------|
| Ballroom A-B | 27,522  | 139' x 198' | 30'               | 3,101               | 1,768                 | 1,790              | 3,111     | 150               |
| Ballroom A   | 18,070  | 139' x 130' | 30'               | 2,013               | 1,080                 | 1,150              | 2,011     | 92                |
| Ballroom B   | 9,452   | 139' x 68'  | 30'               | 987                 | 664                   | 600                | 1,056     | 48                |

## LEVEL ONE MEETING ROOMS \$


| Room            | Sq. Ft. | Dimensions  | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception | 10'x10'<br>Booths |
|-----------------|---------|-------------|-------------------|---------------------|-----------------------|--------------------|-----------|-------------------|
| 101 A-J         | 14,948  | 101' x 148' | 18'               | 1,748               | 1,120                 | 1,040              | 1,660     | 78                |
| (each section)  | 1,450   | 50' x 29'   | 18                | 166                 | 104                   | 80                 | 165       | -                 |
| 102 A-F/103 A-F | 6,622   | 77' x 86'   | 16'               | 792                 | 544                   | 420                | 735       | 38                |
| (each section)  | 1,075   | 25' x 43'   | 16'               | 118                 | 64                    | 60                 | 118       | -                 |

## AUDITORIUM 💬


| Room                                    | Theater Capacity |
|---|------------------|
| Auditorium Full<br>(Main + All 3 Rooms) | 3,433            |
| Auditorium Main 🤿                       | 2,143            |
| Auditorium Rooms 1, 2, 3 ᇬ              | 430 (each room)  |

# Auditorium Main/Lobby B C Auditorium Main/Lobby B C Lobbies C C Auditorium Lobby D C Ballroom Lobby S

## MEZZANINE LEVEL 99




#### LEGEND



| MEZZANINE MEETING ROOMS 🖘 |         |            |                   |                     |                       |                    |           |                   |  |  |  |
|---------------------------|---------|------------|-------------------|---------------------|-----------------------|--------------------|-----------|-------------------|--|--|--|
| Room                      | Sq. Ft. | Dimensions | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception | 10'x10'<br>Booths |  |  |  |
| M100 A-J                  | 12,432  | 84' x 148' | 12'               | 1,258               | 896                   | 840                | 1,366     | 62                |  |  |  |
| (each section)            | 1,218   | 42' x 29'  | 12'               | 138                 | 80                    | 60                 | 132       | -                 |  |  |  |
| M101 A-C                  | 3,420   | 38' x 90'  | 12'               | 316                 | 208                   | 210                | 377       |                   |  |  |  |
| (each section)            | 1,140   | 38' x 30'  | 12'               | 110                 | 68                    | 60                 | 124       |                   |  |  |  |

## REGISTRATION/PRE-FUNCTION SPACES

## **LOWER LEVEL** egitting



| LOWER LEVEL MEETING ROOMS  |                 |                          |                   |                     |                       |                    |              |                   |  |
|----------------------------|-----------------|--------------------------|-------------------|---------------------|-----------------------|--------------------|--------------|-------------------|--|
| Room                       | Sq. Ft.         | Dimensions               | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception    | 10'x10'<br>Booths |  |
| L100 A-J<br>(each section) | 14,948<br>1,450 | 109' x 148'<br>50' x 29' | 18'<br>18'        | 1,702<br>166        | 1,120<br>104          | 1,040<br>80        | 1,652<br>160 | 75                |  |
| <b>EXHIBI</b>              | T H/            | ALL A/                   | DRAPE             | ED                  |                       |                    |              |                   |  |
| Room                       | Sq. Ft.         | Dimensions               | Ceiling<br>Height | Theater<br>Capacity | Classroom<br>Capacity | Rounds<br>Capacity | Reception    | 10'x10'<br>Booths |  |
| Exhibit Hall A ᇬ           | 99,000          | 300' x 330'              | 29′               | 7,000               | 5,000                 | 6,000              | 10,000       | 554               |  |
| Exhibit Hall A ᇬ<br>Draped | 54,717          | 299' x 183'              | 29'               | 5,000               | 3,200                 | 3,360              | 4,800        | 300               |  |





## It's not just a convention center. It's a relationship building.



SalesMCC@minneapolismn.gov | 612-335-6326 | MinneapolisConventionCenter.com